DERWENT-ACC-NO:

1989-201309

DERWENT-WEEK:

198928

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE:

Spherical coloured silica powder mfr.

- by immersing

silicon alkoxide contg. colouring agent

in ammoniacal

water and hydrolysing

PATENT-ASSIGNEE: MITSUBISHI METAL CORP[MITV]

PRIORITY-DATA: 1987JP-0294122 (November 24, 1987)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES JP 01138114 A MAIN-IPC

May 31, 1989

N/A

005

N/A

APPLICATION-DATA:

PUB-NO

APPL-DESCRIPTOR

APPL-NO

APPL-DATE

JP 01138114A

N/A

1987JP-0294122

November 24, 1987

INT-CL (IPC): C01B033/18

ABSTRACTED-PUB-NO: JP 01138114A

BASIC-ABSTRACT:

Silicone alcoxide on agent is dipped into ammcontg.

colouringiacal water ano

hydrolysed. Silicon alkoxide is 5-25 wt. % of the total wt.

of silicon

alkoxide, ammonia, and water. Ammonia is 1.4-13.3 wt. % of the above total wt.

USE/ADVANTAGE - The spherical colour silica powder is used as synthetic rubber

filler, paint, pesticide, pigment or synthetic resin. powder has good

water resistance.

In an example, 5 pts. wt. tetramethoxy silane and 0.3 pts. wt. titania are dipped in 5 pts. wt. 28% ammoniacal water and 90 pts. wt. water. Then it is stirred for 30 min, and silica powder is pptd. Then it is filtered, washed and dried at 100 deq. C. The obtd. silica is spherical and has 26.8 micron of mean dia.

TITLE-TERMS: SPHERE COLOUR SILICA POWDER MANUFACTURE IMMERSE SILICON ALKOXIDE

CONTAIN COLOUR AGENT AMMONIACAL WATER HYDROLYSIS

DERWENT-CLASS: A60 C03 E36 G01 G02

CPI-CODES: A08-E02; A08-R06A; C05-B01B; C12-M11G; C12-N01; E31-P01; G01-A06;

CHEMICAL-CODES:

Chemical Indexing M2 *01*

Fragmentation Code

B114 B702 B720 B831 C108 C800 C802 C803 C804 C805 C807 M411 M720 M903 M904 M910 N104 N209 N242 O130

Q332 Q606 R036

Specfic Compounds

01694P

Registry Numbers

1704X 1724X 1711X 1714X

Chemical Indexing M2 *02*

Fragmentation Code

A422 A940 C108 C550 C730 C801 C802 C803 C804 C805

C807 M411 M720 M903 M904 M910 N104 N209 N242 Q130

Q332 Q606 R036

Specfic Compounds

01966P

Registry Numbers

1704X 1724X 1711X 1714X

Chemical Indexing M2 *03*

Fragmentation Code

A426 A940 C108 C550 C730 C801 C802 C803 C804 C805

C807 M411 M720 M903 M904 M910 N104 N209 N242 O130

Q332 O606 R036

Specfic Compounds

01508P 03239P Registry Numbers 1704X 1724X 1711X 1714X

Chemical Indexing M3 *01*

Fragmentation Code

B114 B702 B720 B831 C108 C800 C802 C803 C804 C805 C807 M411 M720 M903 M904 M910 N104 N209 N242 Q130 Q332 Q606 R036 Specfic Compounds 01694P

Registry Numbers 1704X 1724X 1711X 1714X

Chemical Indexing M3 *02*

Fragmentation Code

A422 A940 C108 C550 C730 C801 C802 C803 C804 C805 C807 M411 M720 M903 M904 M910 N104 N209 N242 Q130 Q332 Q606 R036 Specfic Compounds 01966P

Registry Numbers 1704X 1724X 1711X 1714X

Chemical Indexing M3 *03*

Fragmentation Code

A426 A940 C108 C550 C730 C801 C802 C803 C804 C805 C807 M411 M720 M903 M904 M910 N104 N209 N242 Q130 Q332 Q606 R036 Specfic Compounds 01508P 03239P Registry Numbers 1704X 1724X 1711X 1714X

UNLINKED-DERWENT-REGISTRY-NUMBERS: 1508P; 1534S ; 1694P ; 1694P ; 1966P ; 1966U

POLYMER-MULTIPUNCH-CODES-AND-KEY-SERIALS:

Key Serials: 0009 0037 0205 0224 0072 0228 0229 2179 2199 2208 2209 2218 2220

2321 2589 2792

Multipunch Codes: 014 03& 03- 032 07& 075 09& 15- 229 244 305

306 308 310 360

364 365 44& 516 518 654 656 721

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1989-089114